

Projector hanger

1. parameters of hanger

Suitable for projectors of various specifications.

· VESA standard: unlimited

The tilt angle of projector can be adjusted at will.

Horizontal angle of projector: 20

Distance from projector to ceiling: 830~530mm or 950~1550mm.

• Height of projector can be adjusted: (Step distance: 25mm)

Material: precision seamless steel pipe, cold-rolled plate

Provide screw package for installation.


Maximum load: 30lbs (13.6kg)

Surface treatment: surface spraying.

Color: black/white

Components in the package: product components and screw bags.

Dimensions:




2. Product packaging


产品包装 Packing Detail



3. Assembly instructions




NBT718-4
Projector mount
 Projector ceiling mount
 Weight capacity : 13.6 kg / 30 lbs
 Product net weight : 3.25 kg / 7.15 lbs



NBT718-2
Projector Mount
 Projector Ceiling Mount
 Weight Capacity : 13.6 kg / 30 lbs
 Product Net Weight : 2.35 kg / 5.17 lbs







NB
 Kunshan Hangfa Electronics Co., Ltd
 1856, Fu Chun Jiang Road,
 Economic Development Zone,
 Kunshan City, Jiangsu Province,
 China, 215333
 Mail: info@nbmount.com
 www.nbmount.com



4001008410 AB

Tools required

- Tools used
- 工具の使用
- 도구 사용
- Der Einsatz von Werkzeugen
- Monosoname esztrument
- El uso de herramientas
- L'utilisation des outils
- Het gebruik van instrumenten
- L'uso di strumenti
- مستخدمات الألات
- A utilização de ferramentas
- Penggunaan alat-alat
- 使用工具



4. Physical drawing after assembly



5. Wall projection fixing method



6. Ground projection fixing method

